



M. M. INTERNATIONAL

KNOWN FOR QUALITY, MATCHLESS AT SERVICE



Manufacturer & Exporter



FITTINGS • CONNECTORS • ACCESSORIES


Brass Hex Stop Plug



Brass Hex Stop Plug



Brass Hex Plug



Brass Stop Plug



Brass Threaded Hex Plug

We are manufacturer, exporter and supplier of best quality Brass Hex Stop Plug. These are also known as Brass Hex Plug, Brass Stop Plug and Brass Threaded Hex Plug. This Brass Hex Plug can be purchased at budget friendly rates from us. Our stock of Brass Hex Stop Plug come under brand name "EMBROS". The offered Brass Hex Stop Plugs are manufactured by our skilled professionals with the use of quality assured brass.

Material:

- CuZn39Pb3, IS-319/CZ-121 Free Cutting
- CW614N, CA360 Brass for Bar stock fittings
- CA377 Brass for forged fittings
- CW602N, CZ132, C35330, Lead Free, DZR, Bronze, etc.
- Any special Copper alloys as per customer specifications.

Use With:

- Copper Tube, Brass Tube, Plastic Tube (with Insert)

Threads:

BSP, METRIC (MM), NPT, MPT , UNC, BSW, UNF or any special threads as per customer specifications.

Pressure:

Working Pressure up to 500 PSI with a 4:1 safety factor depending on tube size.

Temperature Rating:

From -65° to +200° F




Advantages:

- Low Cost
- Threads manufactured to highest quality standards and tolerances
- Minimal vibration resistance
- Easy to install
- No Tube Flaring necessary

Finish:

Brass Natural, Electro Tinned, Nickel, Chrome, Led, Silver, Gold, Zinc Blue or any special finish/plating as per customer specifications.

Code No.	SIZE
HHP 001	1/8
HHP 002	1/4
HHP 003	3/8
HHP 004	1/2
HHP 005	3/4
HHP 006	1



***Companies,
We Serve***



Contact Us

Address : K-1, 78/7/1, G.I.D.C, Shanker Tekri, Udyognagar,
Jamnagar - 361004, (Gujarat) INDIA.

Phone No. : +91 288 2561180

Fax No. : +91 288 2561662

Mobile No. : +91 96877 66265

E-mail : info@mminternational.net.in

metalfgts@gmail.com

Website : www.fitbrass.com

Skype : m.m.intl



M. M. INTERNATIONAL